

ASBESTOS DISCLOSURE

Asbestos is a common building material that may be present in many buildings constructed prior to 1981.

The United States Environmental Protection Agency (EPA) has determined the mere presence of asbestos materials does not post a health risk to residents and that such materials are safe as long as they are not disturbed or dislodged in a manner that causes the asbestos fibers to be released. Sanding, scraping, pounding and other remodeling techniques that release dust may cause asbestos particles to become airborne.

EPA rules do not require the material to be removed. Federal law requires that reasonable precautions are taken to minimize the chance of damage or disturbance of asbestos containing materials.

Tenant(s) acknowledge that this is a **WARNING** that the Leased Premises may contain asbestos and may expose him/her to a chemical known to cause cancer.

Tenant(s) agree that no improvements, alterations, modifications, or repairs to the premises shall be made without the express approval of the Landlord. This approval will depend upon acceptance of a written plan of protection from the release of or exposure to asbestos.

Tenant(s) may hang only pictures and other wall ornaments with hangers that are less than 1/4" diameter. Tenant(s) will notify the Landlord immediately where there exists a hole larger than 1/4" diameter, evidence of a water leak, and/or any appearance of crumbling or peeling in the wallboard or ceilings.

(Landlord must check one)

Landlord discloses any known information concerning asbestos hazards located in or around the following areas of the Leased Premises

Landlord has no knowledge of asbestos and/or asbestos hazards located in or around the Lease Premises.

Landlords Signature:  Date: _____

Tenant's Signature: _____ Date: _____

Tenant's Signature: _____ Date: _____

For more information on asbestos, we recommend the Environmental Protection Agencies web site at: <http://www.epa.gov/iag/asbestos.htm> or contact them by calling (202) 554-1404.

Disclosure of Information on Lead-Based Paint and/or Lead-Based Paint Hazards

Lead Warning Statement

Housing built before 1978 may contain lead-based paint. Lead from paint, paint chips, and dust can pose health hazards if not managed properly. Lead exposure is especially harmful to young children and pregnant women. Before renting pre-1978 housing, lessors must disclose the presence of known lead-based paint and/or lead-based paint hazards in the dwelling. Lessees must also receive a federally approved pamphlet on lead poisoning prevention.

Lessor's Disclosure

(a) Presence of lead-based paint and/or lead-based paint hazards (check (i) or (ii) below):

(i) _____ Known lead-based paint and/or lead-based paint hazards are present in the housing (explain).

(ii) Lessor has no knowledge of lead-based paint and/or lead-based paint hazards in the housing.

(b) Records and reports available to the lessor (check (i) or (ii) below):

(i) _____ Lessor has provided the lessee with all available records and reports pertaining to lead-based paint and/or lead-based paint hazards in the housing (list documents below).

(ii) Lessor has no reports or records pertaining to lead-based paint and/or lead-based paint hazards in the housing.

Lessee's Acknowledgment (initial)

(c) _____ Lessee has received copies of all information listed above.


(d) _____ Lessee has received the pamphlet *Protect Your Family from Lead in Your Home*.

Agent's Acknowledgment (initial)

(e) _____ Agent has informed the lessor of the lessor's obligations under 42 U.S.C. 4852(d) and is aware of his/her responsibility to ensure compliance.

Certification of Accuracy

The following parties have reviewed the information above and certify, to the best of their knowledge, that the information they have provided is true and accurate.

<input checked="" type="checkbox"/> Lessor	_____	Date	<input checked="" type="checkbox"/> Lessor	_____	Date
<input checked="" type="checkbox"/> Lessee		_____	<input checked="" type="checkbox"/> Lessee	_____	Date
<input checked="" type="checkbox"/> Agent	_____	Date	<input checked="" type="checkbox"/> Agent	_____	Date

Simple Steps To Protect Your Family From Lead Hazards

If you think your home has high levels of lead:

- ◆ Get your young children tested for lead, even if they seem healthy.
- ◆ Wash children's hands, bottles, pacifiers, and toys often.
- ◆ Make sure children eat healthy, low-fat foods.
- ◆ Get your home checked for lead hazards.
- ◆ Regularly clean floors, window sills, and other surfaces.
- ◆ Wipe soil off shoes before entering house.
- ◆ Talk to your landlord about fixing surfaces with peeling or chipping paint.
- ◆ Take precautions to avoid exposure to lead dust when remodeling or renovating (call 1-800-424-LEAD for guidelines).
- ◆ Don't use a belt-sander, propane torch, high temperature heat gun, scraper, or sandpaper on painted surfaces that may contain lead.
- ◆ Don't try to remove lead-based paint yourself.

5 10



Protect Your Family From Lead In Your Home

EPA

United States Environmental Protection Agency



United States Consumer Product Safety Commission



United States Department of Housing and Urban Development

Are You Planning To Buy, Rent, or Renovate a Home Built Before 1978?

Many houses and apartments built before 1978 have paint that contains high levels of lead (called lead-based paint). Lead from paint, chips, and dust can pose serious health hazards if not taken care of properly.



OWNERS, BUYERS, and RENTERS are encouraged to check for lead (see page 6) before renting, buying or renovating pre-1978 housing.

Federal law requires that individuals receive certain information before renting, buying, or renovating pre-1978 housing:



LANDLORDS have to disclose known information on lead-based paint and lead-based paint hazards before leases take effect. Leases must include a disclosure about lead-based paint.



SELLERS have to disclose known information on lead-based paint and lead-based paint hazards before selling a house. Sales contracts must include a disclosure about lead-based paint. Buyers have up to 10 days to check for lead.



RENOVATORS disturbing more than 2 square

IMPORTANT!

Lead from Paint, Dust, and Soil Can Be Dangerous If Not Managed Properly

- FACT:** Lead exposure can harm young children and babies even before they are born.
- FACT:** Even children who seem healthy can have high levels of lead in their bodies.
- FACT:** People can get lead in their bodies by breathing or swallowing lead dust, or by eating soil or paint chips containing lead.
- FACT:** People have many options for reducing lead hazards. In most cases, lead-based paint that is in good condition is not a hazard.
- FACT:** Removing lead-based paint improperly can increase the danger to your family.

If you think your home might have lead hazards, read this pamphlet to learn some simple steps to protect your family.

Lead Gets in the Body in Many Ways

Childhood lead poisoning remains a major environmental health problem in the U.S.

Even children who appear healthy can have dangerous levels of lead in their bodies.

People can get lead in their body if they:


- ◆ Breathe in lead dust (especially during renovations that disturb painted surfaces).
- ◆ Put their hands or other objects covered with lead dust in their mouths.
- ◆ Eat paint chips or soil that contains lead.

Lead is even more dangerous to children under the age of 6:

- ◆ At this age children's brains and nervous systems are more sensitive to the damaging effects of lead.
- ◆ Children's growing bodies absorb more lead.
- ◆ Babies and young children often put their hands and other objects in their mouths. These objects can have lead dust on them.

Lead is also dangerous to women of childbearing age:

- ◆ Women with a high lead level in their system prior to pregnancy would expose a fetus to lead through the placenta during fetal development.



2

Where Lead-Based Paint is Found

In general, the older your home, the more likely it has lead-based paint.

Many homes built before 1978 have lead-based paint. The federal government banned lead-based paint from housing in 1978. Some states stopped its use even earlier. Lead can be found:

- ◆ in homes in the city, country, or suburbs.
- ◆ in apartments, single-family homes, and both private and public housing.
- ◆ inside and outside of the house.
- ◆ in soil around a home. (Soil can pick up lead from exterior paint or other sources such as past use of leaded gas in cars.)

Checking Your Family for Lead

Get your children and home tested if you think your home has high levels of lead.

To reduce your child's exposure to lead, get your child checked, have your home tested (especially if your home has paint in poor condition and was built before 1978), and fix any hazards you may have. Children's blood lead levels tend to increase rapidly from 6 to 12 months of age, and tend to peak at 18 to 24 months of age. Consult your doctor for advice on testing your children. A simple blood test can detect high levels of lead. Blood tests are usually recommended for:

- ◆ Children at ages 1 and 2.
- ◆ Children or other family members who have been exposed to high levels of lead.
- ◆ Children who should be tested under your state or local health screening plan. Your doctor can explain what the test results

Lead's Effects

It is important to know that even exposure to low levels of lead can severely harm children.

In children, lead can cause:


- ◆ Nervous system and kidney damage.
- ◆ Learning disabilities, attention deficit disorder, and decreased intelligence.
- ◆ Speech, language, and behavior problems.
- ◆ Poor muscle coordination.
- ◆ Decreased muscle and bone growth.
- ◆ Hearing damage.

While low-lead exposure is most common, exposure to high levels of lead can have devastating effects on children, including seizures, unconsciousness, and, in some cases, death.

Although children are especially susceptible to lead exposure, lead can be dangerous for adults too.

In adults, lead can cause:

- ◆ Increased chance of illness during pregnancy.
- ◆ Harm to a fetus, including brain damage or death.
- ◆ Fertility problems (in men and women).
- ◆ High blood pressure.
- ◆ Digestive problems.
- ◆ Nerve disorders.
- ◆ Memory and concentration problems.
- ◆ Muscle and joint pain.



Lead affects the body in many ways.

3

Identifying Lead Hazards

Lead-based paint is usually not a hazard if it is in good condition, and it is not on an impact or friction surface, like a window. It is defined by the federal government as paint with lead levels greater than or equal to 1.0 milligram per square centimeter, or more than 0.5% by weight.

Deteriorating lead-based paint (peeling, chipping, chalking, cracking or damaged) is a hazard and needs immediate attention. It may also be a hazard when found on surfaces that children can chew or that get a lot of wear-and-tear, such as:

- ◆ Windows and window sills.
- ◆ Doors and door frames.
- ◆ Stairs, railings, banisters, and porches.

Lead dust can form when lead-based paint is scraped, sanded, or treated. Dust also forms when painted surfaces bump or rub together. Lead chips and dust can get on surfaces and objects that people touch. Settled lead dust can re-enter the air when people vacuum, sweep, or walk through it. The following two federal standards have been set for lead hazards in dust:

- ◆ 40 micrograms per square foot ($\mu\text{g}/\text{ft}^2$) and higher for floors, including carpeted floors.
- ◆ 250 $\mu\text{g}/\text{ft}^2$ and higher for interior window sills.

Lead in soil can be a hazard when children play in bare soil or when people bring soil into the house on their shoes. The following two federal standards have been set for lead hazards in residential soil:

- ◆ 400 parts per million (ppm) and higher in play areas of bare soil.
- ◆ 1,200 ppm (average) and higher in bare soil in the remainder of the yard.

The only way to find out if paint, dust, and soil lead hazards exist is

Lead from paint chips, which you can see, and lead dust, which you can't always see, can both be serious hazards.

Checking Your Home for Lead

Just knowing that a home has lead-based paint may not tell you if there is a hazard.

You can get your home tested for lead in several different ways:

- ◆ A **paint inspection** tells you whether your home has lead-based paint and where it is located. It won't tell you whether or not your home currently has lead hazards.
- ◆ A **risk assessment** tells you if your home currently has any lead hazards from lead in paint, dust, or soil. It also tells you what actions to take to address any hazards.
- ◆ A **combination risk assessment and inspection** tells you if your home has any lead hazards and if your home has any lead-based paint, and where the lead-based paint is located.

Hire a trained and certified testing professional who will use a range of reliable methods when testing your home.

- ◆ Visual inspection of paint condition and location.
- ◆ A portable x-ray fluorescence (XRF) machine.
- ◆ Lab tests of paint, dust, and soil samples.

There are state and federal programs in place to ensure that testing is done safely, reliably, and effectively. Contact your state or local agency (see bottom of page 11) for more information, or call 1-800-424-LEAD (5323) for a list of contacts in your area.

Home test kits for lead are available, but may not always be accurate. Consumers should not rely on these kits before doing renovations or to assure safety.



6

Reducing Lead Hazards In The Home

Removing lead improperly can increase the hazard to your family by spreading even more lead dust around the house.

Always use a professional who is trained to remove lead hazards safely.



In addition to day-to-day cleaning and good nutrition:

- ◆ You can **temporarily** reduce lead hazards by taking actions such as repairing damaged painted surfaces and planting grass to cover soil with high lead levels. These actions (called "interim controls") are not permanent solutions and will need ongoing attention.
- ◆ To **permanently** remove lead hazards, you should hire a certified lead "abatement" contractor. Abatement (or permanent hazard elimination) methods include removing, sealing, or enclosing lead-based paint with special materials. Just painting over the hazard with regular paint is not permanent removal.

Always hire a person with special training for correcting lead problems—someone who knows how to do this work safely and has the proper equipment to clean up thoroughly. Certified contractors will employ qualified workers and follow strict safety rules as set by their state or by the federal government.

Once the work is completed, dust cleanup activities must be repeated until testing indicates that lead dust levels are below the following:

- ◆ 40 micrograms per square foot ($\mu\text{g}/\text{ft}^2$) for floors, including carpeted floors;
- ◆ 250 $\mu\text{g}/\text{ft}^2$ for interior windows sills; and
- ◆ 400 $\mu\text{g}/\text{ft}^2$ for window troughs.

Call your state or local agency (see bottom

What You Can Do Now To Protect Your Family

If you suspect that your house has lead hazards, you can take some immediate steps to reduce your family's risk:

- ◆ If you rent, notify your landlord of peeling or chipping paint.
- ◆ Clean up paint chips immediately.
- ◆ Clean floors, window frames, window sills, and other surfaces weekly. Use a mop or sponge with warm water and a general all-purpose cleaner or a cleaner made specifically for lead. REMEMBER: NEVER MIX AMMONIA AND BLEACH PRODUCTS TOGETHER SINCE THEY CAN FORM A DANGEROUS GAS.
- ◆ Thoroughly rinse sponges and mop heads after cleaning dirty or dusty areas.
- ◆ Wash children's hands often, especially before they eat and before nap time and bed time.
- ◆ Keep play areas clean. Wash bottles, pacifiers, toys, and stuffed animals regularly.
- ◆ Keep children from chewing window sills or other painted surfaces.
- ◆ Clean or remove shoes before entering your home to avoid tracking in lead from soil.
- ◆ Make sure children eat nutritious, low-fat meals high in iron and calcium, such as spinach and dairy products. Children with good diets absorb less lead.



7

Remodeling or Renovating a Home With Lead-Based Paint

Take precautions before your contractor or you begin remodeling or renovating anything that disturbs painted surfaces (such as scraping off paint or tearing out walls):

- ◆ Have the area tested for lead-based paint.
- ◆ Do not use a belt-sander, propane torch, high temperature heat gun, dry scraper, or dry sandpaper to remove lead-based paint. These actions create large amounts of lead dust and fumes. Lead dust can remain in your home long after the work is done.
- ◆ Temporarily move your family (especially children and pregnant women) out of the apartment or house until the work is done and the area is properly cleaned. If you can't move your family, at least completely seal off the work area.
- ◆ Follow other safety measures to reduce lead hazards. You can find out about other safety measures by calling 1-800-424-LEAD. Ask for the brochure "Reducing Lead Hazards When Remodeling Your Home." This brochure explains what to do before, during, and after renovations.

If you have already completed renovations or remodeling that could have released lead-based paint or dust, get your young children tested and follow the steps outlined on page 7 of this brochure.



If not conducted properly, certain types of renovations can release lead from paint and dust into the air.





White paint, dust, and soil are the most common sources of lead. Other lead sources also exist.

◆ **Drinking water.** Your home might have plumbing with lead or lead solder. Call your local health department or water supplier to find out about testing your water. You cannot see, smell, or taste lead, and boiling your water will not get rid of lead. If you think your plumbing might have lead in it:

- Use only cold water for drinking and cooking.
- Run water for 15 to 30 seconds before drinking it, especially if you have not used your water for a few hours.

◆ **The job.** If you work with lead, you could bring it home on your hands or clothes. Shower and change clothes before coming home. Launder your work clothes separately from the rest of your family's clothes.

◆ **Old painted toys and furniture.**

◆ **Food and liquids stored in lead crystal or lead-glazed pottery or porcelain.**

◆ **Lead smelters** or other industries that release lead into the air.

◆ **Hobbies** that use lead, such as making pottery or stained glass, or refinishing furniture.

◆ **Folk remedies** that contain lead, such as "greta" and "azarcon" used to treat an upset stomach.



EPA Regional Offices

Your Regional EPA Office can provide further information regarding regulations and lead protection programs.

EPA Regional Offices

Region 1 (Connecticut, Massachusetts, Maine, New Hampshire, Rhode Island, Vermont)

Regional Lead Contact
U.S. EPA Region 1
Suite 1100 (CPT)
One Congress Street
Boston, MA 02114-2023
(888) 372-7341

Region 2 (New Jersey, New York, Puerto Rico, Virgin Islands)

Regional Lead Contact
U.S. EPA Region 2
2890 Woodbridge Avenue
Building 209, Mail Stop 225
Edison, NJ 08837-3670
(732) 321-6071

Region 3 (Delaware, Maryland, Pennsylvania, Virginia, Washington DC, West Virginia)

Regional Lead Contact
U.S. EPA Region 3 (3WC33)
1650 Arch Street
Philadelphia, PA 19103
(215) 814-5000

Region 4 (Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, South Carolina, Tennessee)

Regional Lead Contact
U.S. EPA Region 4
61 Janyath Street, SW
Atlanta, GA 30303
(404) 562-8998

Region 5 (Illinois, Indiana, Michigan, Minnesota, Ohio, Wisconsin)

Regional Lead Contact
U.S. EPA Region 5 (01-5)
77 West Jackson Boulevard
Chicago, IL 60601-3000

Region 6 (Arkansas, Louisiana, New Mexico, Oklahoma, Texas)

Regional Lead Contact
U.S. EPA Region 6
1445 Ross Avenue, 12th Floor
Dallas, TX 75202-2733
(214) 665-7577

Region 7 (Iowa, Kansas, Missouri, Nebraska)

Regional Lead Contact
U.S. EPA Region 7
(ARLD-IRALI)
901 N. 9th Street
Kansas City, KS 66101
(913) 591-7020

Region 8 (Colorado, Montana, North Dakota, South Dakota, Utah, Wyoming)

Regional Lead Contact
U.S. EPA Region 8
999 18th Street, Suite 500
Denver, CO 80202-2466
(303) 312-6021

Region 9 (Arizona, California, Hawaii, Nevada)

Regional Lead Contact
U.S. Region 9
75 Hawthorne Street
San Francisco, CA 94105
(415) 947-0164

Region 10 (Alaska, Idaho, Oregon, Washington)

Regional Lead Contact
U.S. EPA Region 10
Toxics Section WCM-120
1200 Sixth Avenue

The National Lead Information Center

Call 1-800-424-LEAD (424-5323) to learn how to protect children from lead poisoning and for other information on lead hazards. To access lead information via the web, visit www.epa.gov/lead and www.hud.gov/offices/lead/.



EPA's Safe Drinking Water Hotline

Call 1-800-426-4791 for information about lead in drinking water.

Consumer Product Safety Commission (CPSC) Hotline

To request information on lead in consumer products, or to report an unsafe consumer product or a product-related injury call 1-800-638-2772, or visit CPSC's Web site at: www.cpsc.gov.



Health and Environmental Agencies

Some cities, states, and tribes have their own rules for lead-based paint activities. Check with your local agency to see which laws apply to you. Most agencies can also provide information on finding a lead abatement firm in your area, and on possible sources of financial aid for reducing lead hazards. Receive up-to-date address and phone information for your local contacts on the Internet at www.epa.gov/lead or contact the National Lead Information Center at 1-800-424-LEAD.

For the hearing impaired, call the Federal Information Relay Service at 1-800-877-8339 to access any of the phone numbers in this brochure.

CPSC Regional Offices

Your Regional CPSC Office can provide further information regarding regulations and consumer product safety.

Eastern Regional Center
Consumer Product Safety Commission
201 Varick Street, Room 903
New York, NY 10014
(212) 620-4120

Western Regional Center
Consumer Product Safety Commission
1301 Clay Street, Suite 610-N
Oakland, CA 94612
(510) 637-4050

Central Regional Center
Consumer Product Safety Commission
230 South Dearborn Street, Room 2944
Chicago, IL 60604
(312) 353-8260

HUD Lead Office

Please contact HUD's Office of Healthy Homes and Lead Hazard Control for information on lead regulations, outreach efforts, and lead hazard control and research grant programs.

U.S. Department of Housing and Urban Development
Office of Healthy Homes and Lead Hazard Control
451 Seventh Street, SW, P-3206
Washington, DC 20410
(202) 755-1785

This document is in the public domain. It may be reproduced by an individual or organization without permission. Information provided in this booklet is based upon current scientific and technical understanding of the issues presented and is reflective of the jurisdictional boundaries established by the statutes governing the co-authoring agencies. Following the advice given will not necessarily provide complete protection in all situations or against all health hazards that can be caused by lead exposure.

MOLD DISCLOSURE

Landlord: Fox Property and Development , LLC or Precise Capital, LLC **Leased Premises:**

Tenant (s):

This MOLD DISCLOSURE is incorporated into and made part of the Lease executed by the Landlord and the Tenant referring to and incorporating the Leased Premises.

Potential health effects and symptoms associated with mold exposures include allergic reactions, asthma, and other respiratory complaints. Mold can be found almost anywhere and can grow on virtually any substance providing moisture is present. There is no practical way to eliminate all mold and mold spores in an indoor environment. The best way to control indoor mold growth is by controlling moisture.

Tenant acknowledges that the Landlord has provided direction to the Tenant on how to obtain mold informational pamphlets that are made available to the public through the United States Environmental Protection Agency (EPA). These pamphlets can be accessed by any of the methods listed below:

Mail: Protection U.S. EPA/Office of Radiation and Indoor Air

Indoor Environments Division

1200 Pennsylvania Avenue, NW

Mail Code 6609J

Washington, DC 20460

Phone (202) 343-9370 or Website: <http://www.epa.gov/iaq/molds/index.html>

() Landlord discloses any known information concerning mold located in or around the following areas of the Leased Premises: _____

() It is not known by the Landlord whether or whether not mold is located in or around the Leased Premises.

Tenant's Signature: _____ Date: _____

Tenant's Signature: _____ Date: _____

Tenant's Signature: _____ Date: _____

Tenant's Signature: _____ Date: _____


Landlord's Signature:  _____ Date: _____

mit prior to signing a lease. The housing Property Maintenance Code (PMC) of Bloomington exists to protect the public health, safety and welfare in all rental units. The code establishes minimum maintenance standards, basic equipment and facilities standards and is to be construed as to prevent unsafe living conditions for all. The Code requires that all rental properties in the city, with a few special exceptions, must be inspected and have valid Rental Occupancy Permits. The Permit has valuable information, and the owner of the property should have a copy posted in the unit.

- The Rental Occupancy Permit will tell you:
- ⇒ *The number of legal bedrooms.*
 - ⇒ *The legal number of tenants allowed to occupy the unit.*
 - ⇒ *Variance information. Some properties in Bloomington have been granted variance from the code. Many of these variances have conditions that must be met in order for the variance to be valid.*
 - ⇒ *The date the property was last inspected and the date the permit expires.*

CHECK THE FOLLOWING WHEN YOU SIGN YOUR LEASE

- 1) The maximum occupant load for my unit is _____ / _____ (Number / Initial)
- 2) I have reviewed the Rental Occupancy Permit for the unit I am renting. _____ Initial



Do you know how to use a fire extinguisher?
Fire extinguishers can save lives if used properly.

PROPERTY IS REQUIRED.

1. **MOVE IN:** An owner must arrange, with the tenant, a joint inspection of the unit within 10 days of occupancy. The owner and the tenant shall jointly complete an inventory and damage list. This shall be signed by all, duplicate copies shall be retained by all and shall be deemed part of the tenancy agreement.

2. **MOVE OUT:** The owner shall contact the tenant and arrange a joint inspection at the end of the tenancy and prior to a new occupant. Any damages to the unit shall be noted on the list and signed. Any portion of the damage deposit due the tenant is to be refunded within 45 days *provided that the tenant provide the landlord a written forwarding address.*

Tenants: if available and if not part of your existing lease, list your permanent or forwarding address here:



Check your smoke detector once a month. Let your landlord know right away if there is a problem with it.

Note: Acting in good faith, if the owner is unable to schedule the inspection, he may show compliance by producing the following: a copy of a letter to the tenant stating the time and place of the inspection and a normal business record showing the letter was mailed to the tenant by first class mail at least two days prior to the inspection. The owner shall note on a signed and dated inspection report any damages which exceed normal wear and tear and retain that summary for a minimum of the present lease period and two subsequent lease periods, or for a period of four years, whichever is less.

when you move in *and* when you move out.



KNOW WHO TO CONTACT IF YOU HAVE PROBLEMS OR QUESTIONS

The code requires disclosure of who manages or owns the unit and their usual address. This information is to be kept current.

Owner/manager contact information:

Name _____
 Address _____
 Phone _____

◆ **PROBLEMS WITH THE RENTAL UNIT**

If you experience problems with your rental unit, call your landlord/agent and report the problem to them. Agree on a time by which the problem is to be rectified. If the problem is not rectified by the agreed time and the problem is violation of the PMC, you may file a complaint with HAND at 349-3420. Complaints must be signed prior to an inspection being conducted. The complaint inspection shall be limited to the items complained about unless the officer finds the unit in such repair that a complete inspection is required to effectuate the code.

Following is a very brief summary of the Property Maintenance Code (PMC). If you want to review the complete code, it is on the World Wide Web at, www.city.bloomington.in.gov

Note: The code prohibits retaliatory eviction or the threat of such action for requesting an inspection as provided for in this code.

PMG is divided into 7 Articles. A brief summary of these articles and how they apply to both property owners and tenants is outlined below.

Article 1: Administration and Enforcement

Scope and intent of the code: To protect rental occupants and the property they occupy.
Right of entry by inspector and the owner:
Code allows the owner or agent the right to enter the property at reasonable times in order to comply with the PMG.
Right of appeal: Any person affected by the code may appeal to the Board of Housing Quality Appeals.

Article 2: Definitions

Article 2 defines all relevant terms used in the PMG.

Article 3: General Requirements

Regulates premises conditions, such as: Sanitation, grading, weeds and accessory structures. The exterior and interior of the structure shall be maintained structurally sound, protect the occupants from the environment and be sanitary.

Article 4: Light, Ventilation and Space Requirements

Each unit shall meet minimum light and ventilation requirements. In general all spaces or rooms shall be provided sufficient light and vent so as not to endanger health and safety. Each unit shall have minimum square footage requirements for each occupant. The minimum bedroom requirement is 70 sq. feet for 1 occupant or 50 sq. feet for each occupant thereof. (However, zoning restrictions may reduce total occupant load, see your permit for exact total.)

Article 5: Plumbing Facilities and Fixture Requirements

Each unit must include its own plumbing facilities which operate properly, can be used in privacy, are adequate for personal cleanliness and disposal of human waste and if provided, all kitchen fixtures shall function as indicated.

Article 6: Mechanical and Electrical Requirements

Sets the minimum requirement for heating and cooking equipment. All equipment shall function as it was designed and all units shall be capable of maintaining a room temperature of no less than 65 degrees.

Continued →

- Sets minimum requirement for electrical systems and required outlets: Every habitable room shall contain no less than 2 separate outlets one of which may be switched. (one may be a ceiling fixture)
- Article 7: Fire Safety Requirements
 - ◆ Outlines emergency egress, fire resistance ratings and fire protection systems. Every sleeping room must have approved, direct means of egress/exit to the exterior.

Indiana State Code requires landlords to deliver their rental units to tenants equipped with functioning smoke detectors and for the tenants to acknowledge this in writing at the time they take over the property by signing a Smoke Detector Compliance Form, found at www.bloomington.in.gov/ hand. It is the tenants' responsibility to make sure the smoke detectors remain functional and are not disabled. It is the tenants' responsibility to replace batteries in the smoke detectors as necessary. If the tenants believe a smoke detector is not functioning properly, they must inform the landlord in writing by certified mail (return receipt requested) to rectify the situation. If the landlord fails to turn the property over with functioning smoke detectors, or does not rectify a problem with a smoke detector within seven (7) days of receipt of written notice by certified mail, then fines will be assessed against the landlord.

Bloomington Municipal Code Title 6 allows the City to issue tickets of up to \$50 for improper storage or disposal of trash. Title 6 also allows the City to issue tickets of up to \$50 for grass or weeds over 8 inches in height. Take care of the property you live in and avoid tickets.

Use this brochure!

This brochure should be filled out and signed by all parties. Copies of this summary and the joint inspection should be retained by all.

Date _____ Signature/Tenant _____

Date _____ Signature/Tenant _____

Date _____ Signature/Tenant _____

Date _____ Signature/Tenant _____

Date _____ Signature/Tenant _____

Date _____ Signature/Tenant _____

Rental Information for Bloomington



If you don't read anything else,
make sure you read this!

**TENANTS' AND OWNERS'
RIGHTS AND
RESPONSIBILITIES**
City of Bloomington Housing and
Neighborhood Development

(HAND)
(812) 349-3420
P.O. Box 100
401 N. Morton St.
Bloomington IN 47402

Property address: _____

MOVE IN/MOVE OUT FORM

Resident's Name: _____

Move-In Date: _____

Property Address: _____

Move-Out Date: _____

MASTER BEDROOM

Walls/Ceiling
Floors
Windows
Screens
Window Covering
Light Fixture

BEDROOM

Walls/Ceiling
Floors
Windows
Screens
Window Covering
Light Fixture

BEDROOM

Walls/Ceiling
Floors
Windows
Screens
Window Covering
Light Fixture

BEDROOM

Walls/Ceiling
Floors
Windows
Screens
Window Covering
Light Fixture

BATHROOM

Walls/Ceiling
Floors
Light Fixture
Sink
Toilet
Tub/Shower
Medicine Cabinet
Window
Window Covering
Exhaust Fan
Towel Racks

BATHROOM

Walls/Ceiling
Floors
Light Fixture
Sink
Toilet
Tub/Shower
Medicine Cabinet
Window
Window Covering
Exhaust Fan
Towel Racks

OTHER _____

LIVING ROOM

Walls/Ceiling
Floors
Light Fixture
Windows
Window Covering
Screens
Fire Place

SERVICE EQUIPMENT

Air Conditioner
Heater

UTILITY AREA

Floors
Walls/Ceiling
Washer Dryer

DINING ROOM AREA

Walls/Ceiling
Floors
Light Fixture
Windows
Screens
Window Covering

GARAGE STORAGE

Floors
Walls Ceilings
Light Fixture
Windows
Screens

KITCHEN

Walls/Ceiling
Floors
Windows
Screens
Window Covering
Light Fixture
Sink
Cabinets
Range & Oven
Refrigerator
Dishwasher
Garbage Disposal

EXTERIOR

Walls
Trim

LAWN/LANDSCAPE

MISCELLANEOUS

Door Opener
Keys

The undersigned acknowledges that the above is the condition of the Property on moving in.

Resident: _____
 Resident: _____
 Management: _____

The undersigned acknowledges that the above is the condition of the Property on vacating the premises.

Resident: _____
 Resident: _____
 Management: _____